WORKSHEET 2.0 POLLUTANT ANALYSES REQUIREMENTS

Worksheet 2.0 **is required** for all applications submitted for a TPDES permit. Worksheet 2.0 is not required for applications for a permit to dispose of all wastewater by land disposal or for discharges solely of stormwater associated with industrial activities.

i. LABORATORY ACCREDITATION (Instructions, Page 49)

Effective July 1, 2008, all laboratory tests performed must meet the requirements of *30 TAC Chapter 25*, *Environmental Testing Laboratory Accreditation and Certification* with the following general exemptions:

- a. The laboratory is an in-house laboratory and is:
 - o periodically inspected by the TCEQ; or
- 1. located in another state and is accredited or inspected by that state; or
 - i. performing work for another company with a unit located in the same site; or
 - ii. performing pro bono work for a governmental agency or charitable organization.
- 1. The laboratory is accredited under federal law.
- 2. The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- 3. The laboratory supplies data for which the TCEQ does not offer accreditation.

Review *30 TAC Chapter 25* for specific requirements. The following certification statement shall be signed and submitted with every application. See Instructions, Page 32, for a list of approved signatories.

I, (see certification on pg. 1 of Worksheet 2 for Outfall 001), certify that all laboratory tests submitted with this application meet the requirements of *30 TAC Chapter 25*, *Environmental Testing Laboratory Accreditation and Certification*.

(Signature)

1. GENERAL TESTING REQUIREMENTS (Instructions, Pages 49-51)

- 1. Provide the date range of all sampling events conducted to obtain the analytical data submitted with this application (e.g., 05/01/2018-05/30/2018): 10/09/2020 07/09/21
- 3. Read the general testing requirements in the instructions for important information about sampling, test methods, and MALs. If a contact laboratory was used, attach a list which includes the name, contact information, and pollutants analyzed for each laboratory/firm. **Attachment:** <u>T-3</u> Laboratories for Outfall Analyses

4. SPECIFIC TESTING REQUIREMENTS (Instructions, Pages 51-62)

Attach correspondence from TCEQ approving submittal of less than the required number of samples, if applicable. **Attachment:** $\underline{N/A}$

TABLE 1 and TABLE 2 (Instructions, Page 50)

Completion of Tables 1 and 2 is required for all external outfalls for all TPDES permit applications.

Table 1 for Outfall No.: 003

Samples are (check one): \square Composite \boxtimes Grab

comples are (effects offe).	inposite \(\to \text{Of ab}			
Pollutant	Sample 1 (mg/L)	Sample 2 (mg/L)	Sample 3 (mg/L)	Sample 4 (mg/L)
BOD (5-day)	3	3	2	3
CBOD (5-day)	<2	4	2	2
Chemical oxygen demand	27	14	18	14
Total organic carbon	5	6	4	3
Dissolved oxygen	7.35	9.37	8.91	11.8
Ammonia nitrogen	<0.25	<0.25	<0.25	<0.25
Total suspended solids	36	91	243	95
Nitrate nitrogen	0.56	<0.5	<0.5	0.53
Total organic nitrogen	2.36	1.2	0.25	0.916
Total phosphorus	0.14	0.13	0.24	0.14
Oil and grease	5	5	5	5
Total residual chlorine	0.02	-	0.02	0.05
Total dissolved solids	290	141	99	184
Sulfate	70.3	22.5	22.8	79.7
Chloride	31.9	6.55	<5	16.7
Fluoride	<0.5	<0.5	<0.5	<0.5
Total alkalinity (mg/L as CaCO3)	96	78	76	91
Temperature (°F)	75.3	62.9	67	54.3
pH (standard units)	8.7	8.8	8.36	8.44

Table 2 for Outfall No.: 003

Samples are (check one): \square Composites \boxtimes Grabs

Pollutant		nple 1 g/L)		ple 2 g/L)		ple 3 g/L)		ple 4 g/L)	MAL (μg/L)
	total	dissolved	total	dissolved	total	dissolved	total	dissolved	
Aluminum, total	1660	-	3240	-	6580	-	3700	-	2.5
Aluminum (additional samples 5-7)	727	102	3580	2020	1840	129	ı	-	2.5
Antimony, total		1.3	C	0.6		1	1	.1	5
Arsenic, total		5.1	3	3. 7	4	l.7	5	.2	0.5
Barium, total		75	5	3.4	6;	3.9	6	6.6	3
Beryllium, total	<	0.4	<	0.4	C	0.4	<(0.4	0.5
Cadmium, total	<	0.4	<	0.4	<	0.4	<(0.4	1
Chromium, total		3.7	1,	5.7	8	3.1	5	3.3	3

Pollutant	Sample 1 (µg/L)	Sample 2 (µg/L)	Sample 3 (µg/L)	Sample 4 (µg/L)	MAL (μg/L)
Chromium, hexavalent	<3.4	<3.4	<3.4	<3.4	3
Chromium, trivalent	3.7	15.7	8.1	5.3	N/A
Copper, total	5.6	8.5	6.6	5.2	2
Cyanide, available	<1.49 [CN-avail] <0.785 [CN-free]	<1.49 [CN-avail] <3.93 [CN-free]	<1.49 [CN-avail]	<2 [CN-avail] 2.19 [CN-free]	2/10
Lead, total	1.5	2.8	5.8	2.9	0.5
Mercury, total	0.005447	0.00746	0.0111	0.00429	0.005/0.0005
Nickel, total	2.7	4.4	7.3	4.6	2
Selenium, total	<3.2	<3.2	<3.2	<3.2	5
Silver, total	<0.4	<0.4	<0.4	<0.4	0.5
Thallium, total	<0.4	<0.4	<0.4	<0.4	0.5
Zinc, total	63.3	117	236	156	5.0

TABLE 3 (Instructions, Page 50)

Completion of Table 3 **is required** for all **external outfalls** which discharge process wastewater.

Partial completion of Table 3 **is required** for all **external outfalls** which discharge non-process wastewater and stormwater associated with industrial activities commingled with other wastestreams (see instructions for additional guidance).

Table 3 for Outfall No.: <u>003</u>

Samples are (check one): ☐ Composites ☐ Grabs									
Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)*				
Acrylonitrile	-	<3	-	-	50				
Anthracene	<0.57	-	-	-	10				
Benzene	-	<1	-	-	10				
Benzidine	<1.08	-	-	-	50				
Benzo(a)anthracene	<0.62	-	-	-	5				
Benzo(a)pyrene	<1.39	-	-	-	5				
Bis(2-chloroethyl)ether	<1.18	-	-	-	10				
Bis(2-ethylhexyl)phthalate	<3.61	-	-	-	10				
Bromodichloromethane [Dichlorobromomethane]	-	<1	-	-	10				
Bromoform	-	<1	-	-	10				
Carbon tetrachloride	-	<1	-	-	2				
Chlorobenzene	-	<1	-	-	10				
Chlorodibromomethane [Dibromochloromethane]	-	<1	-	-	10				
Chloroform	-	<1	-	-	10				
Chrysene	<0.93	_	_	_	5				

	Sample 1	Sample 2	Sample 3	Sample 4	MAL
Pollutant	(μg/L)*	(μg/L)*	(μg/L)*	(μg/L)*	(μg/L)*
m-Cresol [3-Methylphenol]	<6.56 [†]	-	-	-	10
o-Cresol [2-Methylphenol]	<3.28	-	-	-	10
p-Cresol [4-Methylphenol]	<6.56 [†]	-	-	-	10
1,2-Dibromoethane	-	<1	-	-	10
m-Dichlorobenzene [1,3-Dichlorobenzene]	<0.87	-	-	-	10
o-Dichlorobenzene [1,2-Dichlorobenzene]	<0.67	-	-	-	10
p-Dichlorobenzene [1,4-Dichlorobenzene]	<0.41	-	-	-	10
3,3'-Dichlorobenzidine	<1.44	-	-	-	5
1,2-Dichloroethane	-	<1	-	-	10
1,1-Dichloroethene [1,1-Dichloroethylene]	-	<1	-	-	10
Dichloromethane [Methylene chloride]	-	<1	-	-	20
1,2-Dichloropropane	-	<1	-	-	10
1,3-Dichloropropene [1,3-Dichloropropylene]	-	<1	-	-	10
2,4-Dimethylphenol	<0.87	-	-	-	10
Di-n-Butyl phthalate	<2	-	-	-	10
Ethylbenzene	-	<1	-	-	10
Fluoride	<500	<500	<500	<500	500
Hexachlorobenzene	<1.13	-	-	-	5
Hexachlorobutadiene	<0.67	-	-	-	10
Hexachlorocyclopentadiene	<2.26	-	-	-	10
Hexachloroethane	<0.77	-	-	-	20
Methyl ethyl ketone	-	<1	-	-	50
Nitrobenzene	<1.49	-	-	-	10
N-Nitrosodiethylamine	<8.2	-	-	-	20
N-Nitroso-di-n-butylamine	<8.2	-	-	-	20
Nonylphenol	<1.68	-	-	-	333
Pentachlorobenzene	<4.92	-	-	-	20
Pentachlorophenol	<0.82	-	-	-	5
Phenanthrene	<0.72	-	-	-	10
Polychlorinated biphenyls (PCBs) (**)	<0.02	-	-	-	0.2
Pyridine	<0.57	-	-	-	20
1,2,4,5-Tetrachlorobenzene	<8.2	-	-	-	20
1,1,2,2-Tetrachloroethane	-	<1	-	-	10
Tetrachloroethene [Tetrachloroethylene]	-	<1	-	-	10

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)*
Toluene	-	<1	-	-	10
1,1,1-Trichloroethane	-	<1	-	-	10
1,1,2-Trichloroethane	-	<1	-	-	10
Trichloroethene [Trichloroethylene]	-	<1	-	-	10
2,4,5-Trichlorophenol	<1.39	-	-	-	50
TTHM (Total trihalomethanes)	-	<2	-	-	10
Vinyl chloride	-	<1	-	-	10

[†]Semivolatiles were analyzed by EPA Method 625.1. TCEQ does not offer accreditation for m-cresol by 625.1. Laboratory reported m+p-cresol as co-eluted. Laboratory's accreditation certificate does not include p-cresol by 625.1.

^(*) Indicate units if different from μ g/L.

^(**) Total of detects for PCB-1242, PCB-1254, PCB-1221, PCB-1232, PCB-1248, PCB-1260, and PCB-1016. If all non-detects, enter the highest non-detect preceded by a "<".

TABLE 4 (Instructions, Pages 50-51)

Partial completion of Table 4 is required for each external outfall based on the conditions below.

a. Tributyltin	1
----------------	---

b.

1.

c.

1.

Tributyltin
Is this facility an industrial/commercial facility which currently or proposes to directly dispose of wastewater from the types of operations listed below or a domestic facility which currently or propose to receive wastewater from the types of industrial/commercial operations listed below?
□ Yes ⊠ No
If yes , check the box next to each of the following criteria which apply and provide the appropriate testing results in Table 4 below (check all that apply).
☐ Manufacturers and formulators of tributyltin or related compounds.
☐ Painting of ships, boats and marine structures.
☐ Ship and boat building and repairing.
☐ Ship and boat cleaning, salvage, wrecking and scaling.
Operation and maintenance of marine cargo handling facilities and marinas.
☐ Facilities engaged in wood preserving.
Any other industrial/commercial facility for which tributyltin is known to be present, or for which there is any reason to believe that tributyltin may be present in the effluent.
Enterococci (discharge to saltwater)
iii. This facility discharges/proposes to discharge directly into saltwater receiving waters and Enterococci bacteria are expected to be present in the discharge based on facility processes.
□ Yes ⊠ No
Domestic wastewater is/will be discharged.
□ Yes ⊠ No
If yes to either question, provide the appropriate testing results in Table 4 below.
E. coli (discharge to freshwater)
ii. This facility discharges/proposes to discharge directly into freshwater receiving waters and <i>E. co</i> bacteria are expected to be present in the discharge based on facility processes.
□ Yes ⊠ No
Domestic wastewater is/will be discharged.
□ Yes ⊠ No
If yes to either question, provide the appropriate testing results in Table 4 below.
1 0 0 0 11 2 37 / 4

Table 4 for Outfall No.: N/A

Samples are (check one):	□ Con	nposites	☐ Grabs			
Pollutant		Sample 1	Sample 2	Sample 3	Sample 4	MAL
Tributyltin (ug/L)						0.010

Pollutant	Sample 1	Sample 2	Sample 3	Sample 4	MAL
Enterococci (cfu or MPN/100 mL)					N/A
E. coli (cfu or MPN/100 mL)					N/A

TABLE 5 (Instructions, Page 51)

Completion of Table 5 **is required** for all **external outfalls** which discharge process wastewater from a facility which manufactures or formulates pesticides or herbicides or other wastewaters which may contain pesticides or herbicides.

If this facility does not/will not manufacture or formulate pesticides or herbicides and does not/will not discharge other wastewaters which may contain pesticides or herbicides, check N/A.

⊠ N/A

Table 5 for Outfall No.: N/A

Samples are (check one):	☐ Composites	☐ Grabs			
Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)*
Aldrin					0.01
Carbaryl					5
Chlordane					0.2
Chlorpyrifos					0.05
4,4'-DDD					0.1
4,4'-DDE					0.1
4,4'-DDT					0.02
2,4-D					0.7
Danitol [Fenpropathrin]					_
Demeton					0.20
Diazinon					0.5/0.1
Dicofol [Kelthane]					1
Dieldrin					0.02
Diuron					0.090
Endosulfan I (alpha)					0.01
Endosulfan II (beta)					0.02
Endosulfan sulfate					0.1
Endrin					0.02
Guthion [Azinphos methyl]					0.1
Heptachlor					0.01
Heptachlor epoxide					0.01
Hexachlorocyclohexane (alpha)					0.05
Hexachlorocyclohexane (beta)					0.05
Hexachlorocyclohexane (gamma) [Lindane]					0.05
Hexachlorophene					10

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)*
Malathion					0.1
Methoxychlor					2.0
Mirex					0.02
Parathion (ethyl)					0.1
Toxaphene					0.3
2,4,5-TP [Silvex]					0.3

^{*} Indicate units if different from $\mu g/L$.

TABLE 6 (Instructions, Page 52)

Completion of Table 6 is required for all external outfalls.

Table 6 for Outfall No.: 003

Samples are (check one): \square Composites \boxtimes Grabs

Samples are (effects offe).	iic). 🗖 composites 💆 orabs						
Pollutants	Believed Present	Believed Absent	Sample 1 (mg/L)	Sample 2 (mg/L)	Sample 3 (mg/L)	Sample 4 (mg/L)	MAL (μg/L)*
Bromide		\boxtimes	<0.5	1	1	-	400
Color (PCU)	\boxtimes		-	10	1	-	_
Nitrate-Nitrite (as N)			0.56	-	-	-	_
Sulfide (as S)		\boxtimes	<0.05	-	1	-	_
Sulfite (as SO ₃)		\boxtimes	<1	1	<1	<1	_
Surfactants	\boxtimes		-	<0.1	-	-	_
Boron, total			0.091	1	1	-	20
Cobalt, total	\boxtimes		0.0005	-	1	-	0.3
Iron, total	\boxtimes		1.24	1	1	-	7
Magnesium, total			3.42	-	-	-	20
Manganese, total			0.0314	1	1	-	0.5
Molybdenum, total			0.0639	-	-	-	1
Tin, total		\boxtimes	<0.004	-	-	-	5
Titanium, total		\boxtimes	<0.0044	-	-	-	30

^{*} Indicate units if different from $\mu g/L$.

TABLE 7 (Instructions, Page 52)

Check the box next to any of the industrial categories applicable to this facility. If no categories are applicable, check N/A. If GC/MS testing is required, check the box provided to confirm the testing results for the appropriate parameters are provided with the application.

⊠ N/A

Table 7 for Applicable Industrial Categories

Industrial Category	40 CFR Part	Volatiles Table 8	Acids Table 9	Bases/Neutrals Table 10	Pesticides Table 11
☐ Adhesives and Sealants		□ Yes	□Yes	□ Yes	No
□ Aluminum Forming	467	□ Yes	□ Yes	□ Yes	No
☐ Auto and Other Laundries		□ Yes	□Yes	□ Yes	□ Yes
☐ Battery Manufacturing	461	□ Yes	No	□ Yes	No
□ Coal Mining	434	No	No	No	No
□ Coil Coating	465	□ Yes	□Yes	□ Yes	No
□ Copper Forming	468	□ Yes	□Yes	□ Yes	No
☐ Electric and Electronic Components	469	□ Yes	□Yes	□ Yes	□ Yes
□ Electroplating	413	□ Yes	□Yes	□ Yes	No
☐ Explosives Manufacturing	457	No	□Yes	□ Yes	No
□ Foundries		□ Yes	□Yes	□ Yes	No
☐ Gum and Wood Chemicals - Subparts A,B,C,E	454	□ Yes	□Yes	No	No
☐ Gum and Wood Chemicals - Subparts D,F	454	□ Yes	□Yes	□ Yes	No
☐ Inorganic Chemicals Manufacturing	415	□ Yes	□Yes	□ Yes	No
☐ Iron and Steel Manufacturing	420	□ Yes	□Yes	□ Yes	No
☐ Leather Tanning and Finishing	425	□ Yes	□Yes	□ Yes	No
☐ Mechanical Products Manufacturing		□ Yes	□Yes	□ Yes	No
☐ Nonferrous Metals Manufacturing	421,471	□ Yes	□Yes	□ Yes	□ Yes
☐ Ore Mining - Subpart B	440	No	□Yes	No	No
☐ Organic Chemicals Manufacturing	414	□ Yes	□ Yes	□ Yes	□ Yes
☐ Paint and Ink Formulation	446,447	□ Yes	□ Yes	□ Yes	No
□ Pesticides	455	□ Yes	□ Yes	□ Yes	□ Yes
☐ Petroleum Refining	419	□ Yes	No	No	No
☐ Pharmaceutical Preparations	439	□ Yes	□ Yes	□ Yes	No
☐ Photographic Equipment and Supplies	459	□ Yes	□ Yes	□ Yes	No
☐ Plastic and Synthetic Materials Manufacturing	414	□ Yes	□ Yes	□ Yes	□ Yes
□ Plastic Processing	463	□ Yes	No	No	No
□ Porcelain Enameling	466	No	No	No	No
☐ Printing and Publishing		□ Yes	□ Yes	□ Yes	□ Yes
□ Pulp and Paperboard Mills - Subpart C	430	□*	□ Yes	*	□ Yes
□ Pulp and Paperboard Mills - Subparts F, K	430	*	□ Yes	*	□*
$\hfill\square$ Pulp and Paperboard Mills - Subparts A, B, D, G, H	430	□ Yes	□ Yes	*	□ *
$\hfill\square$ Pulp and Paperboard Mills - Subparts I, J, L	430	□ Yes	□ Yes	*	□ Yes
□ Pulp and Paperboard Mills - Subpart E	430	□ Yes	□ Yes	□ Yes	□*
□ Rubber Processing	428	□ Yes	□ Yes	□ Yes	No
☐ Soap and Detergent Manufacturing	417	□ Yes	□ Yes	□ Yes	No
☐ Steam Electric Power Plants	423	□ Yes	□ Yes	No	No

Industrial Category	40 CFR Part	Volatiles Table 8	Acids Table 9	Bases/Neutrals Table 10	Pesticides Table 11
☐ Textile Mills (Not Subpart C)	410	□ Yes	□Yes	□ Yes	No
☐ Timber Products Processing	429	□ Yes	□ Yes	□ Yes	□ Yes

^{*} Test if believed present.

TABLES 8, 9, 10, and 11 (Instructions, Page 52)

Completion of Tables 8, 9, 10, and 11 is required as specified in Table 7 for all external outfalls that contain process wastewater.

Completion of Tables 8, 9, 10, and 11 may be required for types of industry not specified in Table 7 for specific parameters that are believed to be present in the wastewater.

Table 8 for Outfall No.: <u>003</u>: Volatile Compounds

Samples are (check one):	□ Composites	🛛 Grab	S		
Pollutant		Sample 1	Sample 2	Sample 3	Sample A
Ponutant		(μg/L)*	(μg/L)*	(μg/L)*	(μg/L)*

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
Acrolein	-	<6	-	-	50
Acrylonitrile	-	<3	-	-	50
Benzene	-	<1	-	-	10
Bromoform	-	<1	-	-	10
Carbon tetrachloride	-	<1	1	-	2
Chlorobenzene	-	<1	1	-	10
Chlorodibromomethane	-	<1	1	-	10
Chloroethane	-	<1	1	-	50
2-Chloroethylvinyl ether	-	<6	1	-	10
Chloroform	-	<1	1	-	10
Dichlorobromomethane [Bromodichloromethane]	-	<1	-	-	10
1,1-Dichloroethane	-	<1	1	-	10
1,2-Dichloroethane	-	<1	1	1	10
1,1-Dichloroethylene [1,1-Dichloroethene]	-	<1	1	1	10
1,2-Dichloropropane	-	<1	1	1	10
1,3-Dichloropropylene [1,3-Dichloropropene]	-	<1	1	-	10
Ethylbenzene	-	<1	-	-	10
Methyl bromide [Bromomethane]	-	<2	1	-	50
Methyl chloride [Chloromethane]	-	<1	1	-	50
Methylene chloride [Dichloromethane]	-	<1	-	-	20
1,1,2,2-Tetrachloroethane	-	<1	1	-	10
Tetrachloroethylene [Tetrachloroethene]	-	<1	-	-	10
Toluene	-	<1	-	-	10
1,2-Trans-dichloroethylene [1,2-Trans-dichloroethene]	-	<1	-	-	10
1,1,1-Trichloroethane	-	<1	1	1	10

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
1,1,2-Trichloroethane	-	<1	-	-	10
Trichloroethylene [Trichloroethene]	-	<1	-	-	10
Vinyl chloride	-	<1	-	-	10

^{*} Indicate units if different from $\mu g/L$.

Table 9 for Outfall No.: <u>003</u>: Acid Compounds

Samples are (check one): \square Composites \boxtimes Grabs

composites	∠ Ora				
Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
2-Chlorophenol	<0.82	-	-	-	10
2,4-Dichlorophenol	<1.13	-	-	-	10
2,4-Dimethylphenol	<0.87	-	-	-	10
4,6-Dinitro-o-cresol	<1.08	-	-	-	50
2,4-Dinitrophenol	<2.31	-	-	-	50
2-Nitrophenol	<1.44	-	-	-	20
4-Nitrophenol	<1.85	-	-	-	50
p-Chloro-m-cresol	<0.87	-	-	-	10
Pentachlorophenol	<0.82	-	-	-	5
Phenol	<0.72	-	-	-	10
2,4,6-Trichlorophenol	<1.3	-	-	-	10

^{*} Indicate units if different from $\mu g/L$.

Table 10 for Outfall No.: <u>003</u> : Base/Neutral Compounds Samples are (check one): □ Composites □ Grabs

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
Acenaphthene	<0.46	-	1	-	10
Acenaphthylene	<0.77	-	1	-	10
Anthracene	<0.57	-	1	-	10
Benzidine	<1.08	-	-	-	50
Benzo(a)anthracene	<0.62	-	-	-	5
Benzo(a)pyrene	<1.39	-	1	-	5
3,4-Benzofluoranthene [Benzo(b)fluoranthene]	<0.93	-	-	-	10
Benzo(ghi)perylene	<1.03	-	-	-	20
Benzo(k)fluoranthene	<0.93	-	1	-	5
Bis(2-chloroethoxy)methane	<0.57	-	1	-	10
Bis(2-chloroethyl)ether	<1.18	-	1	-	10
Bis(2-chloroisopropyl)ether	<1.39	-	1	-	10
Bis(2-ethylhexyl)phthalate	<3.61	-	1	-	10

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
4-Bromophenyl phenyl ether	<0.67	-	-	-	10
Butylbenzyl phthalate	<1.13	-	-	-	10
2-Chloronaphthalene	<0.46	-	-	-	10
4-Chlorophenyl phenyl ether	<1.08	-	-	-	10
Chrysene	<0.93	-	-	-	5
Dibenzo(a,h)anthracene	<1.13	-	-	-	5
1,2-Dichlorobenzene [o-Dichlorobenzene]	<0.67	-	-	-	10
1,3-Dichlorobenzene [m-Dichlorobenzene]	<0.87	-	-	-	10
1,4-Dichlorobenzene [p-Dichlorobenzene]	<0.41	-	-	-	10
3,3'-Dichlorobenzidine	<1.44	-	-	-	5
Diethyl phthalate	<1.03	-	-	-	10
Dimethyl phthalate	<1.18	-	-	-	10
Di-n-butyl phthalate	<2	-	-	-	10
2,4-Dinitrotoluene	<1.59	-	-	-	10
2,6-Dinitrotoluene	<2	-	-	-	10
Di-n-octyl phthalate	<4.53	-	-	-	10
1,2-Diphenylhydrazine (as Azobenzene)	<0.36	-	-	-	20
Fluoranthene	<0.72	-	-	-	10
Fluorene	<0.77	-	-	-	10
Hexachlorobenzene	<1.13	-	-	-	5
Hexachlorobutadiene	<0.67	-	-	-	10
Hexachlorocyclopentadiene	<2.26	-	-	-	10
Hexachloroethane	<0.77	-	-	-	20
Indeno(1,2,3-cd)pyrene	<0.36	-	-	-	5
Isophorone	<0.46	-	-	-	10
Naphthalene	<0.51	-	-	-	10
Nitrobenzene	<1.49	-	-	-	10
N-Nitrosodimethylamine	<1.3	-	1	-	50
N-Nitrosodi-n-propylamine	<1.18	-	-	-	20
N-Nitrosodiphenylamine	<0.77	-	-	-	20
Phenanthrene	<0.72	-	-	-	10
Pyrene	<0.93	-	-	-	10
1,2,4-Trichlorobenzene	<0.87	-	-	-	10

^{*} Indicate units if different from $\mu g/L$.

Table 11 for Outfall No.: $\underline{003}$: Pesticides

Samples are (check one): \square Composites \boxtimes Grabs

Pollutant	Sample 1	Sample 2	Sample 3	Sample 4	MAL	
	(μg/L)*	(μg/L)*	(μg/L)*	(μg/L)*	(µg/L)	
Aldrin	<0.003	-	-	-	0.01	
alpha-BHC [alpha-Hexachlorocyclohexane]	<0.008	-	-	-	0.05	
beta-BHC [beta-Hexachlorocyclohexane]	<0.01	-	-	-	0.05	
gamma-BHC [gamma-Hexachlorocyclohexane]	<0.005	-	-	-	0.05	
delta-BHC [delta-Hexachlorocyclohexane]	<0.004	1	-	-	0.05	
Chlordane	<0.1	-	-	-	0.2	
4,4'-DDT	<0.004	-	-	-	0.02	
4,4'-DDE	<0.002	-	-	-	0.1	
4,4'-DDD	<0.006	-	-	-	0.1	
Dieldrin	<0.003	-	-	-	0.02	
Endosulfan I (alpha)	<0.003	-	-	-	0.01	
Endosulfan II (beta)	<0.004	-	-	-	0.02	
Endosulfan sulfate	<0.003	-	-	-	0.1	
Endrin	<0.004	-	-	-	0.02	
Endrin aldehyde	<0.008	-	-	-	0.1	
Heptachlor	<0.005	-	-	-	0.01	
Heptachlor epoxide	<0.002	-	-	-	0.01	
PCB 1242	<0.02	-	-	-	0.2	
PCB 1254	<0.02	-	-	-	0.2	
PCB 1221	<0.02	-	-	-	0.2	
PCB 1232	<0.02	-	-	-	0.2	
PCB 1248	<0.02	-	-	-	0.2	
PCB 1260	<0.01	-	-	-	0.2	
PCB 1016	<0.02	-	-	-	0.2	
Toxaphene	<0.1	-	-	-	0.3	

^{*} Indicate units if different from $\mu g/L$.

Attachment: N/A

TABLE 12 (DIOXINS/FURAN COMPOUNDS)

Complete of Table 12 **is required** for **external outfalls**, as directed below. (Instructions, Pages 53-54)

1.	Indicate which compound(s) are manufactured or used at the facility and provide a brief desof the conditions of its/their presence at the facility (check all that apply).			
	□ 2,4,5-trichlorophenoxy acetic acid (2,4,5-T)	CASRN 93-76-5		

□ 2-(2,4,5-trichlorophenoxy) propanoic acid (Silvex, 2,4,5-TP)

CASRN 93-72-1

	WQ0002	2927000, Outfall 003 (8-4-21)
	□ 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate (Erbon)	CASRN 136-25-4
	□ o,o-dimethyl o-(2,4,5-trichlorophenyl) phosphorothioate (Ronnel)	CASRN 299-84-3
	□ 2,4,5-trichlorophenol (TCP)	CASRN 95-95-4
	□ hexachlorophene (HCP)	CASRN 70-30-4
	⊠ None of the above	
	Description: <u>N/A</u>	
2.	Does the applicant or anyone at the facility know or have any reason tetrachlorodibenzo-p-dioxin (TCDD) or any congeners of TCDD maproposed for discharge?	
	□ Yes ⊠ No	
	Description: <u>N/A</u>	

☐ Grabs

If **yes** to either Items a **or** b, complete Table 12 as instructed.

Table 12 for Outfall No.: N/A

Samples are (check one): **□** Composites Wastewater Sludge **Toxicity** Wastewater Sludge **Toxicity Toxicity** MAL **Equivalent** Concentration Compound Concentration **Equivalents Equivalents** (ppq) **Factors** (ppq) (ppt) (ppq) (ppt) 2,3,7,8-TCDD 1 10 1,2,3,7,8-PeCDD 1.0 50 2,3,7,8-HxCDDs 0.1 50 1,2,3,4,6,7,8-HpCDD 0.01 50 2,3,7,8-TCDF 0.1 10 1,2,3,7,8-PeCDF 0.03 50 2,3,4,7,8-PeCDF 0.3 50 2,3,7,8-HxCDFs 0.1 50 2,3,4,7,8-HpCDFs 0.01 50 OCDD 0.0003 100 OCDF 0.0003 100 PCB 77 0.0001 500 PCB 81 0.0003 500 PCB 126 0.1 500 PCB 169 0.03 500 Total

TABLE 13 (HAZARDOUS SUBSTANCES)

Complete Table 13 **is required** for all **external outfalls** as directed below. (Instructions, Page 54)

1.	Are there any pollutants listed in the instructions (pages 55-62) believed present in the
	discharge?

⊠ Yes □ No

3. Are there pollutants listed in Item 1.c. of Technical Report 1.0 which are believed present in the discharge and have not been analytically quantified elsewhere in this application?

□ Yes ⊠ No

If **yes** to either Items a **or** b, complete Table 13 as instructed.

Table 13 for Outfall No.: 003

Samples are (check one): \square Composites

• •						
Pollutant	CASRN	Sample 1 (µg/L)	Sample 2 (µg/L)	Sample 3 (µg/L)	Sample 4 (µg/L)	Analytical Method
Vanadium	7440 60 0	6.1				EDA 000 9

⊠ Grabs